


# T10.1 T series Led Display



# T10.1 series

## FEATURES

- Screen only weighs 20 Kg/mq  
Installment efficiency is doubled because of the light body of the screen
- Transparency rate can reach 65%  
High transparency leads to a good lighting effect
- The thickness of the screen is 18mm  
Ultra-thin design makes the screen blend into the building perfectly
- Average rated power: 100W/mq  
The screen is over 50% less power-consuming than traditional screen



### HANDINESS

Screen only weighs 20 Kg/mq:  
Installment efficiency is doubled  
because of the light body of the  
screen



### DIAPHANOUSNESS

Transparency rate can reach 65%:  
High transparency leads to a good lighting effect




### THINNESS

The thickness of the screen is 18mm:  
Ultra-thin design makes the screen  
blend into the building perfectly



### EFFICIENTIBILITY


Average rated power 100W/mq:  
The screen is over 50% less power-consuming  
than traditional screen



# T10.1 series

## SPECIFICATIONS

	T10.1
Pixel Pitch	7.8mm – 15.6mm
Pixel matrix for panel	128x32
Pixel Configuration	DIP570
Cabinet Dimensions	1000x500x78.5 mm
Module Dimensions	500x250 mm
Panel Material	Aluminum profile
Cabinet Weight	10.7 Kg/ panel
Gray Scale for color	16384 level
Refresh Rate	1920 Hz
Brightness	5000 nit
Optimal Horizontal viewing angle	100°
Optimal Vertical viewing angle	100°
IP rating (front/rear)	IP2x/IP2x
Cabinet installation type	Fix/Rental



### T10.1

#### LED DISPLAY

**SIZE:** 1000x500x78.5 mm

**WEIGHT:** 10 kg/panel

**ORDER CODE:** UNILTS11