

VVR series


Indoor Video Wall Display



VVR series

FEATURES


- Fast assembly
- Easy access to electronics
- Magnetically attachable cabinet with a quick-lock system
- High performance image quality and reliability
- High brightness and excellent contrast




VVR series

STRUCTURE FEATURES

Front Module Removal with Magnet Tool



Rear Module Removal with Rotating Latches




Front & Rear Module Removal with Hex Tool



FRONT AND REAR ACCESS


VVR series




Vertical quick-locking pins



Horizontal quick-locking pins




Rotating latches for module and electronics compartment removal



FEATURES

	VVR2.5	VVR3.9	VVR4.8	VVR5.9
Pixel Pitch	2,5 mm	3,91 mm	4,81 mm	5, 95 mm
Module Dimension	250x250x14mm	250x250x14mm	250x250x16mm	250x250x16mm
Cabinet Resolution	200x200 pixel	128x128 pixel	104x104pixel	84x84pixel
Cabinet Dimension	500x500x74mm			
Weight	7 Kg			
Physical Pixel Density	1 60000 Px/mq	65536 Px/mq	43264 Px/mq	28224 Px/mq
Brightness max	1000 cd/mq			
Color Temperature	3000K-10000K adjustable			
Horizontal viewing angle	120°			
Vertical viewing angle	110°			
Contrast ratio	8000:1			
Refresh Rate	3000 Hz			
Max power consumption	750 W/mq – 188W/cabinet			
Voltage	100VAc-240VAc 50-60Hz			
Operating Temperature	-10 – 40° C			
Storage Temperature	-20 – 60° C			
Service access	Front (limited – module only)			
Environment	Indoor			

VVR series



VVR2.5 LED WALL DISPLAY

SIZE: 19.69"x19.69"x2.9"500x500x74mm)

WEIGHT: 15.43lb (7kg)

ORDER CODE: UNIVVR25

VVR3.9 LED WALL DISPLAY

SIZE: 19.69"x19.69"x2.9"500x500x74mm)

WEIGHT: 15.43lb (7kg)

ORDER CODE: UNIVVR39

VVR4.8 LED WALL DISPLAY

SIZE: 19.69"x19.69"x2.9"500x500x74mm)

WEIGHT: 15.43lb (7kg)

ORDER CODE: UNIVVR48

VVR5.9 LED WALL DISPLAY

SIZE: 19.69"x19.69"x2.9"500x500x74mm)

WEIGHT: 15.43lb (7kg)

ORDER CODE: UNIVVR59