





Led Panel One series



Led Panel One series



SPECIFICATIONS

	DP25072	DP250120
Size	250*250mm	250*250mm
Color	White	White
Led Type	Nichia/Cree/Osram	Nichia/Cree/Osram
Led Q.ty	36+36 (cw+ww)	60+60 (cw+ww)
Beam Angle	120	120
Voltage	24V DC	24V DC
Power	8.5 W	16 W
Flux	820 lm	1580 lm
PCB	black/white	black/white
DMX Channels	72 (36 cw+36 ww)	120 (60cw+60ww)
Diffuser	No (optional opal diffuser)	No (optional opal diffuser)
Cable entry	Side front	Side front
Operating temperature	-20° - +50°	-20° - +50°
Storage temperature	-40° - +80	-40° - +80
CRI	90	90
IP	65	65

LED PANEL ONE DP25072


SIZE: 9.84"x9.84" (250x250 mm)

ORDER CODE: UNILMDP25072

LED PANEL ONE DP250120

SIZE: 9.84"x9.84" (250x250 mm)

ORDER CODE: UNILMDP250120



LED PANEL ONE DP30072

SIZE: 11.81"x11.81" (300x300 mm)

ORDER CODE: UNILMDP30072

SPECIFICATIONS

	DP30072	DP300120
Size	300*300mm	300*300mm
Color	White	White
Led Type	Nichia/Cree/Osram	Nichia/Cree/Osram
Led Q.ty	36+36 (cw+ww)	60+60 (cw+ww)
Beam Angle	120	120
Voltage	24V DC	24V DC
Power	8.5 W	16 W
Flux	820 lm	1580 lm
PCB	black/white	black/white
DMX Channels	72 (36 cw+36 ww)	120 (60cw+60ww)
Diffuser	No (optional opal diffuser)	No (optional opal diffuser)
Cable entry	Side front	Side front
Operating temperature	-20° - +50°	-20° - +50°
Storage temperature	-40° - +80	-40° - +80
CRI	90	90
IP	65	65

LED PANEL ONE DP300120

SIZE: 11.81"x11.81" (300x300 mm)

ORDER CODE: UNILMDP300120