




Sport+ series Outdoor Led Display

Sport⁺ series

FEATURES

- High Refresh Rate & Wide Viewing Angle
- Power & Signal power inside
- Player Protective Design
- Emergency Access Design
- EMC
- Fast Installation



IP66 front & Rear



5VB Fireproof



EMC



Front & Rear Service



High Brightness



Sport+ series




Sport+ series

	Sport+ 6.6	Sport+ 8.3	Sport+ 10
Pixel Pitch	6.67 mm	8.33 mm	10 mm
Pixel Density	22500 dot/mq	14400 dot/mq	10000 dot/mq
LED sealing Type	SMD2727	SMD3535	SMD3535
Module Size	400*300mm		
Module Resolution	60*45px	48*36px	40*30px
Module Weight	1.5 (kg)		
Module Thicknees	18.5mm	19mm	20mm
Drive Mode	Constant current		
Horizontal Viewing Angle	170°		
Vertical Viewing Angle	110°		
Brightness	6500/9500 cd/mq	6500/10000 cd/mq	6500/10000 cd/mq
Grey Scale	14 bit		
Refresh Rate	3840Hz		
Maximum Cabinet Power Consumption	630 W/mq	550 W/mq	550 W/mq
Average Cabinet Power Consumption	250 W/mq	200 W/mq	200 W/mq
Cabinet Size	1600*900mm		
Cabinet Weight	45Kg/mq		
Cabinet Thickness	101mm		
Input Voltage (V)	AC90-260V		
Working Temperature (°C)	-20°C /+60°C		
Operating humidity (RH)	10% - 90% Rh		
Waterproof Level Front &Rear	IP68/66		
Working Environment	outdoor		
Installtion Method	Full front&rear service		
Cetificate	CE (LVD, EMC), ETL, CB		

Sport⁺ series

STANDARD SIZE



LED DISPLAY R+ series

ORDER CODE: UNISPORTplus 6.6/8.3/10



Head office

E-mail : info@unitechdigitalmedia.com

Add : Corso Italia 431A, Quarto 80010 (Napoli) Italy

Tel : +39 - 335-8010444 | +39 - 081-8063500

WEB: <https://unitechdigitalmedia.it>

<https://www.unitech.lighting>

